IPMENT PRICE LIST JMP EOU

Effective July 1, 2019 • All prices FOB Mt. Vernon, Illinois, USA. • Prices in U.S. Dollars



PRECISION[™] **RUBBER STAMP PRESSES**

<u>Cat. No.</u>	Description	Without Work Light	*With Work Light
M-1524-28	Model 1524 , Motorized Hydraulics, 220-240v	(Included)	\$ 9,950
	including Vulcanizer Floor Stand		
M-1524-28X	Model 1524 , as above, for export (50 Hz. power)	(Included)	10,300
M-1515-22	Model 1515, 22-ton Motorized Hydraulics, 220-240v	(Included)	7,390
M-1515-22X	Model 1515 , as above, for export (50 Hz. power)	(Included)	7,980
1515*	Model 1515 , 20-ton Manual Hydraulics, 220-240v [†]	` \$_5,365´	5,470
M-1015-22	Model 1015, 22-ton Motorized Hydraulics, 220-240v	(Included)	6,240
M-1015-22X	Model 1015 , as above, for export (50 Hz. power)	(Included)	6,880
1015-20-1*	Model 1015 , 20-ton Manual Hydraulics, 110-120v	` 3,990 ´	4,130
1015-20-2*	Model 1015 , 20-ton Manual Hydraulics, 220-240v [⁺]	4,225	4,340
912-12-1*	Model 912 , 12-ton Manual Hydraulics, 110-120v	2,490	2,590
912-12-2*	Model 912 , 12-ton Manual Hydraulics, 220-240v [†]	2,700	2,800
	SLIRE-TEMP" PRES	SES	

MST-1524-28	Model 1524 , Motorized Hydraulics, 220-240v including Vulcanizer Floor Stand	\$11,760
MST-1524-28X	Model 1524, as above, for export (50 Hz. power)	11.970
ST-1515	Model 1515 , Manual Hydraulics, 220-240v [†]	7,480
MST-1515-22	Model 1515, 22-ton Motorized Hydraulics, 220-240v	9,600
MST-1515-22X	Model 1515 , as above, for export (50 Hz. power)	10,280
ST-1015-20-1	Model 1015, 20-ton Manual Hydraulics, 110-120v	6,700
ST-1015-20-2	Model 1015 , 20-ton Manual Hydraulics, 220-240v [†]	6,930
MST-1015-22	Model 1015, 22-ton Motorized Hydraulics, 220-240v	8,800
MST-1015-22X	Model 1015 , as above, for export (50 Hz. power)	9,490
ST-912-1	Model 912 , Manual Hydraulics, 110-120v	4,260
ST-912-2	Model 912 , Manual Hydraulics, 220-240v [†]	4,470

* For optional Work Light, add "W" to the end of the catalog number. [†]60 Hz. (North America) or 50 Hz. (export) operation available. Please Specify.



VULCANIZER CART & FLOOR STAND

Vulcanizer Cart - Heavy duty steel cart on wheels designed for manual presses. Lower cabinet can be used for supply storage. Built in duplex 110-120v receptacle with power cord for connection to your wall socket. 24x26x31" high. 160 lbs. shipping weight. \$660

Vulcanizer Floor Stand - Designed to provide a sturdy platform for the Model 1015 and 1515 Motorized Presses. 72 lbs., 85 lbs. shipping weight. 20" high, 34" wide, 18" deep \$590

10,500

11,100

Washout

POLYMER PLU	JS [™] Model	2005	Unit	ter talanter
Photopolymer	110-120 volt 60 Hz. (North America)	220-240 volt 50 Hz. (Export)	ſ	
PP2005A Exposure Unit	\$4,950	\$5,300	Exposure Unit	
PP2005B Washout Unit	4,600	4,680		·
PP2005C Floor Stand	550	550	C C	Line 1
With Drying Oven	1,250	1,350		
Complete System	9,875	10,340	Floor	2.10

With Drying Oven



POLYMER PLUS[™] Models 150, 200 & 300

Complete with Glass Plates, Bearer Bars, Glass Handles, Foam Exposure Pad, Glass Clamps and Post-Exposure Pan





Model 150, 5 ¹ / ₂ " x 8 ¹ / ₂ "	capacity
110-120 volt, 60 Hz.	\$1,080
220-240 volt, 50 Hz.	1,320

Model 200, 8¹/₂" x 11" capacity 110-120 volt, 60 Hz. \$2,275 220-240 volt, 50 Hz. 2,490

Model 300, 9" x 23" capacity 110-120 volt. 60 Hz. \$3.180 220-240 volt, 50 Hz. 3,360

POLYSONIC[™] WASHOUT UNITS

Model 101, 6" x 81/2" capacity, 120 volt Model 201, 8¹/₂" x 11³/₄" capacity, 120 volt

\$ 560 840





POLYMER PLUS[™] MODEL MB-100

Exposure & Drying	Oven
110-120 volt, 60 Hz.	\$1,980
220-240 volt, 50 Hz.	2,150



LaserVac[™] PRE-INKED DIE INKING SYSTEM

Vacuum Chamber	\$940
Vacuum Pump	640
Vacuum Chamber Heater	950
Vac. Die Compress w/10 bags	240
4 qt. Inking Container	160
4 qt. Inking Basket	160
2 qt. Inking Container	95
2 qt. Inking Basket	95



Complete System with (1) 4 qt. Container/basket and (4) 2 qt. containers/baskets \$3,750 Additional Compress Bags, package of 10 4



Model S-6



Unit with one straight blade	\$560
Blades or Cutting Plates (each)	23
Pkg. of 3 blades or cutting plates	64
1/2" or 5/8" Round Cutting Die	30
3/4" or 7/8" Round Cutting Die	35
1" Round Cutting Die	46
1 1/8" Round Cutting Die	54
1 1/4" Round Cutting Die	62
1 1/2" Round Cutting Die	69
1 3/4" Round Cutting Die	79
2" Round Cutting Die	95
Set of all 10 Round Cutting Dies	
with Storage Case	490
Flat band date slot punch	
$\frac{1}{2} \times \frac{1}{4}$ " (13 x 32 mm)	86
Type band date slot punch	
$^{3}/_{8} \times 1^{3}/_{16}$ " (10 x 30 mm)	86
Other Round Die Sizes and Square or	
Rectangular Dies available on request.	
CUSTOM CONTOUR CUTTERS:	
Call for quote on your requirements.	

Model G-10 / G-12



MODEL G-10 DIE CUTTER:

Unit with one straight blade	\$1,070
Blades or Cutting Plates (each)	38
Pkg. of 3 blades or cutting plates	95
MODEL G-12 DIE CUTTER:	
Unit with one straight blade	1,150
Blades or Cutting Plates (each)	44
Pkg. of 3 blades or cutting plates	110
OPTIONAL CLAMP BAR:	68

Model P-4 Pneumatic



MODEL P-4 PNEUMATIC DIE CUTTER:

Unit with one blade and "A" or "B"	
Cutting Head, 120 volt, 60 Hz.	\$2,950
Unit with one blade and "A" or "B"	
Cutting Head, 240 volt, 50 Hz.	3,250
Additional Cutting Head	
"A" or "B"	980
Cutting Blades, each	21
Cutting Blades, pkg. of 3	52

PERFORATING BLADES:

For any die cutter add 50% to standard blade cost.

HYDRAFORCE[™] SLAB CUTTERS

HF-910-M	Model 910, 9x10" Pressure Surface. Manual Hydraulics, 12-ton force.	\$1,550
HF-910-P-1	Model 910, 9x10" Pressure Surface. Pneumatic Hydraulics, 12-ton force. 110-120v, 60 Hz.	2,750
HF-910-P-2	Model 910, 9x10" Pressure Surface. Pneumatic Hydraulics, 12-ton force. 220-240v, 50 Hz.	2,970
HF-1013-M	Model 1013, 10x13" Pressure Surface. Manual Hydraulics, 12-ton force.	1,880
HF-1013-P-1	Model 1013 , 10x13" Pressure Surface. Pneumatic Hydraulics, 12-ton force. 110-120v, 60 Hz.	3,080
HF-1013-P-2	Model 1013, 10x13" Pressure Surface. Pneumatic Hydraulics, 12-ton force. 220-240v, 50 Hz.	3,290
HF-1315-M	Model 1315, 13x15" Pressure Surface. Manual Hydraulics, 20-ton force.	2,350
HF-1315-P-1	Model 1315, 13x15" Pressure Surface. Pneumatic Hydraulics, 20-ton force. 110-120v, 60 Hz.	3,550
HF-1315-P-2	Model 1315, 13x15" Pressure Surface. Pneumatic Hydraulics, 20-ton force. 220-240v, 50 Hz.	3,760



Cutting Grids and Ejector Pin Plates for use with the Slab Cutters are not included in the above prices. They are priced separately by quotation.



PHASE II[™] HOT STAMPING UNITS

Please Call for Prices on Type Holders and Other Accessories





MANUAL	120v, 60 Hz. (North American Standard)	240v, 50 Hz. (for export)
Model 301	\$1,700	\$1,890
Model 303	2,460	2,630

PNEUMATIC	120v, 60 Hz. (North American Standard)	240v, 50 Hz. (for export)
Model 305	\$4,980	\$5,220
Model 306	6,400	6,590
Model 307	3,920	4,140



The Art Stamp Stamper

Model A

120 volt, 60 Hz., 4 amps (North America) 240 volt, 50 Hz., 2 amps (Export)

Model B

120 volt, 60 Hz., 4 amps (North America) 240 volt, 50 Hz., 2 amps (Export)



\$3,900 4,080

\$4,300 4,540



Self-Centering Vise	
with Foot Pedal	\$620
Drill Press	220
Drill Press Stand	185
Drill Bit ¹ / ₄ "	10
Drill Bit ⁵ / ₁₆ "	10
Drill Bit ³ / ₈ "	10
Set of 3 drill bits	27
Handle Insertion Press	620
Complete Package No. 1	990
Complete Package No. 2	1,570



Jackson Marking Products Co., Inc.



9105 N. Rainbow Lane • Mt. Vernon, IL 62864 Tel: 800-STAMP-CALL • Fax: 800-STAMP-FAX www.rubber-stamp.com • jmp@rubber-stamp.com



Copyright 2019. Prices subject to change at any time. We reserve the right to correct layout and printing errors. Precision, Sure-Temp, Polymer Plus, PolySonic, Hydraforce, LaserVac, The Handle Center, The Art Stamp Stamper (TASS) and Phase II are trademarks of Jackson Marking Products Co., Inc. for its line of rubber stamp manufacturing and hot stamping equipment.